1				Gover	nment of India
EARANCE		सत्यमेव जयते To.	(Issued by the	nvironme	nt, Forest and Climate Change vironment Impact Assessment EIAA), Maharashtra)
C T		,	The DGM		
i i			VISHAL CONSTR	RUCTIONS.	
			Citi Mall, 2nd Floc	or, Link Road,	Andheri West, Mumbai-400053 -400053
a)		Subject:	Grant of Environm under the provisio	nental Clearar on of EIA Notif	nce (EC) to the proposed Project Activity ication 2006-regarding
tive	2	Sir/Mada	ım,		
Interac	dow <b>H</b> ut	SIA/MH/	ect of project s MIS/262348/2022 of	submitted to dated 17 Mar	pplication for Environmental Clearance (EC) the SEIAA vide proposal number 2022. The particulars of the environmental elow.
h	Vin	1. EC	Identification No.	7/5	EC22B038MH123051
on		2. File	• No.	15119	SIA/MH/MIS/262348/2022
ati	gle	3. Pro	ject Type		Expansion
ilit	in		• •	12410	B2
Fac	al S	5. Pro Sch	ject/Activity inclue redule No.	ding	8(a) Building and Construction projects
Isive	ment	6. Nar	ne of Project	ALL CALL	Proposed Residential Building at C.T.S No 512B & 514 of Village Malad at Malad West Mumbai Maharashtra
100	uo.	7. Nar	ne of Company/Or	rganization	VISHAL CONSTRUCTIONS.
est	vir	8. Loc	ation of Project		Maharashtra
R	En	9. TO	R Date		N/A
				h terms and c	onditions are appended herewith from page
(Pro-A	and	Date: 04	/05/2022		(e-signed) Manisha Patankar Mhaiskar Member Secretary SEIAA - (Maharashtra)
PARTER M	58] 98/	number number	& E-Sign gener in all future cor	ated from F respondenc	
	(Pro-Active and Responsive Facilitation by Interactive, CLEARANCE CLEARANCE	and Responsive Facilitation by Interactive, ous Environmental Single-Window Hub <b>)</b>	Subject:Sir/Madain respSir/Madain respSIA/MH/ clearanc1. EC2. File3. Pro4. Cati3. Pro4. Cati5. Pro5. Pro6. Nar7. Nar8. Loc9. TOI7. Nar8. Loc9. TOI9. TOI9. TOI10. Cation of the projection of	Citi Mall, 2nd Floor Citi Mall, 2nd Floor Subject: Grant of Environment under the provision Sir/Madam, This is in reference in respect of project so SIA/MH/MIS/262348/2022 of clearance granted to the pro- 1. EC Identification No. 2. File No. 3. Project Type 4. Category 5. Project/Activity inclusion Schedule No. 6. Name of Project 9. TOR Date The project details along with no 2 onwards. Date: 04/05/2022 Note: A valid environment number & E-Sign generic number in all future cor	Ministry of Environmental Clearance Ministry of Environmental Clearance Authority(SI To, The DGM VISHAL CONSTRUCTIONS. Citi Mall, 2nd Floor, Link Road, Subject: Grant of Environmental Clearance under the provision of EIA Notif Sir/Madam, This is in reference to your are in respect of project submitted to SIA/MH/MIS/262348/2022 dated 17 Mar clearance granted to the project are as b 1. EC Identification No. 2. File No. 3. Project Type 4. Category 5. Project/Activity including Schedule No. 6. Name of Project 7. Name of Company/Organization 8. Location of Project 9. TOR Date The project details along with terms and co no 2 onwards. Date: 04/05/2022

## STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/262348/2022 Environment & Climate **Change Department** Room No. 217, 2<sup>nd</sup> Floor, Mantralaya, Mumbai- 400032.

То

M/s. Vishal Constructions, C.T.S No 512B & 514, Village Malad at Malad West, Mumbai.

> : Environment Clearance for proposed Residential Building at C.T.S No Subject 512B & 514 of Village Malad at Malad West Mumbai by M/s. Vishal Constructions.

Reference : Application no. SIA/MH/MIS/262348/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its <sup>nd</sup> meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 242<sup>nd</sup> (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA). 2.

Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details							
<b>1.</b>	Plot Area (sq.m.)	15556.50 m <sup>2</sup>							
2.	FSI Area (sq.m.)	<b>Existing</b> 12409.84	Proposed 36818.53	TotalafterExpansion49228.37					
3.	Non-FSI (sq.m.)	Existing 5118.95	<b>Proposed</b> 29236.88	TotalafterExpansion34355.83					
4.	Proposed built-up area (FSI + Non FSI) (sq.m.)	Existing 17528.79 m <sup>2</sup>	<b>Proposed</b> 66055.41 m <sup>2</sup>	TotalafterExpansion83584.20 m²					
5.	Building Configuration	Existing	Proposed	Total after Expansion					
		Building No. 1: G+7 ; Building No. 5 : S+21	Building No. 3 :S + 4P + 5th to 33rd; Building No. 4 : B + Stilt + 6 floor ; Sale Building 2 : S + 22 ; Rehab Building No. 6 : S+22	Building No. 1 : G+7 ; Building No. 5 : S+21; Building No. 3 :S + 4P + 5th to 33rd; Building No. 4 : B + Stilt + 6 floor; Sale Building 2 : S + 22; Rehab Building No. 6					

							: S+22	2	
6.	No. of								
	Tenements &					1, 1 -		Total	after
	Shops	Particulars	Unit	Existin	- 1	Proposed		Expansion	
		1 BHK	No.	283	4	494		777	
		2 BHK	No.	0	1	64		164	
		3 BHK	No.	0	5	8		58	
		Sub-total	No.	. 283		716		999	
		Shops	No.	0		6		6	
7.	Total		1943 N 1943	967	-14 - 15 15 15				
	Population		Alexandra Alexandra			) e q		Total	after
	i A G	Particulars	Unit	Existing		Proposed		Expansion	
.*	L. P	Residents	No.	1384	2	892		4276	
	e de D	Shops	No.	6	6			12	
		Visitors	No.	346	5	524		870	
		Total Population	No.	1736	3	422		5158	
8.	Total Water Requirements	640 KLD							
	CMD		h de la Reiseran	1,1,2,4,2,4,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,4,1,2,2,2,1,2,2,2,1,2,2,2,2	12-12-12-12				
9.	Sewage Generation CMD	576.09 KLD							
9.	Sewage Generation CMD STP Capacity & Technology	545 KLD (Combin Based on MBBR			3 STP'	s)			
10.	Sewage Generation CMD STP Capacity & Technology STP Location	545 KLD (Combi			3 STP'	s)			
10. 11. 12.	Sewage Generation CMD STP Capacity & Technology	545 KLD (Combin Based on MBBR Below Ground		ogy			osed	Total Expan	after
10.	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid	545 KLD (Combin Based on MBBR Below Ground Particulars	Technol	ogy Exi	isting	Prop		Expan	
10. 11. 12.	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste	545 KLD (Combin Based on MBBR Below Ground Particulars Total Solid Waste Total Biodegradable	Technol Unit kg/da	ogy Exi 1y 746	isting	Prop 1526		Expan 2272	
10. 11. 12.	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste	545 KLD (Combin Based on MBBR Below Ground Particulars Total Solid Waste Total Biodegradable Waste	Technol Unit kg/da	ogy Exi 1y 746	isting	Prop		Expan	
10. 11. 12.	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste	545 KLD (Combin Based on MBBR Below Ground Particulars Total Solid Waste Total Biodegradable	Technol Unit kg/da kg/da	ogy Exi 1y 746 1y 448	isting	Prop 1526		Expan 2272	
10. 11. 12.	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total         Biodegradable         Waste         Total Non         Biodegradable	Technol Unit kg/da kg/da	ogy Exi 1y 746 1y 448	isting	Prop 1526 916		Expan 2272 1364 908	
10. 11. 12	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste Quantities	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total         Biodegradable         Waste         Total         Non         Biodegradable         Waste         RG Area	Technol Unit kg/da kg/da n- kg/da	ogy Exi iy 746 iy 448 iy 298	isting	Prop 1526 916		Expan 2272 1364	
10. 11. 12	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste Quantities R.G. Area in	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total         Biodegradable         Waste         Total Non         Biodegradable         Waste         RG Area         RG Required as p	Technol Unit kg/da h- kg/da er DCR	ogy Exi iy 746 iy 448 iy 298	isting	Prop 1526 916		Expan 2272 1364 908 n Sq.m	
10. 11. 12	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste Quantities R.G. Area in	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total         Biodegradable         Waste         Total         Non         Biodegradable         Waste         RG Area         RG Required as p         Total RG propose	Technol Unit kg/da kg/da n- kg/da er DCR d	ogy Exi iy 746 iy 448 iy 298	isting	Prop 1526 916	<b>I</b> 2 2	Expan 2272 1364 908 n Sq.m 2754.99	
10. 11. 12	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste Quantities R.G. Area in	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total         Biodegradable         Waste         Total         Non         Biodegradable         Waste         RG Area         RG Required as propose         Non-Paved RG or	Technol Unit kg/da kg/da kg/da er DCR d n ground	ogy Exi iy 746 iy 448 iy 298	isting	Prop 1526 916		Expan 2272 1364 908 n Sq.m 2754.99 2774.05	
10. 11. 12	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste Quantities R.G. Area in	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total Solid Waste         Total Solid Waste         Total None         Biodegradable         Waste         Total None         Biodegradable         Waste         RG Area         RG Required as propose         Non-Paved RG on group	Technol Unit kg/da kg/da kg/da er DCR d n ground	ogy Exi iy 746 iy 448 iy 298	isting	Prop 1526 916	Ι 2 1 8	Expan 2272 1364 908 n Sq.m 2754.99 2774.05 363.84 357.03	
10. 11. 12	Sewage Generation CMD STP Capacity & Technology STP Location Total Solid Waste Quantities R.G. Area in	545 KLD (Combine Based on MBBR         Below Ground         Particulars         Total Solid Waste         Total         Biodegradable         Waste         Total         Non         Biodegradable         Waste         RG Area         RG Required as propose         Non-Paved RG or	Technol Unit kg/da kg/da kg/da er DCR d n ground	ogy Exi iy 746 iy 448 iy 298	isting	Prop 1526 916		Expan 2272 1364 908 n Sq.m 2754.99 2774.05 363.84	

14.	Power	During Operation Phase:								
	requirement		Details			ing		xpansion		
			Connected Load (k		939 k		12263 k	W		
			Demand Load (kW	/)	364 k	W	5489 kV	V		
1.5		╎┍──		· · · · · · · · · · · · · · · · · · ·		·····				
15.	Energy Efficiency			Per day unitSaving consumption Percentage			Per day Unit Consumption with saving			
		A	Total Saving Due to CFL Lamp for Common and	1337		37	842	495		
		B	Residential Area Total Saving Due to LED Light for Lift Lobby	an na nation		75	214	641		
		C	Total Saving Due to Electronic Ballast for common and Residential Area			25	1002	334		
			Total Saving Due to VFD & Efficient Pump	2869		30	2008	861		
- Dife		E	Total Saving Due to Solar Hot Water Generation	5138		50	3046	2092		
		F	Total Saving Due to External Solar Lighting			30	413	177		
			Average KWH/Day saving					4600		
			Average KWH/Annual saving					1678934		
			TOTAL ANNUAL SAVING					1678934		
			SAVING IN PERCENTAGE %					17%		
			SAVING IN CONSUMPTIO	% N (DEN	WRT		ANNUA	L 11%		

17.	D.G. set							-		
	capacity	After Expansion				1x160 kVA & 1x400 kVA 1x500 kVA, 1x250 kVA, 1x320 kVA, 1x380 Kva				
18.	Parking 4W		• •							
	& 2W	Particulars		in E	Unit	Existing	Propose		otal after xpansion	
		Total Parking	tal Parking Required ECS 79 366		44	445				
		Total Parking	and the second	1000	Contraction of the second s	79	369	44	448	
19.	Rain Water harvesting scheme	• It is proposed that storm water from the roof top of buildings will be collected and will be stored in rainwater harvesting tanks. 5 nos. of Rainwater harvesting tanks of 60 cum, 20 cum, 20 cum, 25 cum, 35 cum each have been provided within the site for storage of run-off water and stored water will be filtered, disinfected and transferred in the domestic water tank.								
24. 1		Description	Unit	3	uilding-	Building- 4	Slum Rehab	Sale	Building- 5	
		Say the RWH tank Capacity	cum	1‡	# 56	1 # 19	1 # 20	1 # 25	1 # 31	
20.	Project Cost in (Cr.)	210 Crores								
21.	EMP Cost	Capital: 181 Lakhs OM: 35 Lakhs								
22.	CER Details with justification if any	CER Cost- 1.	575 Cr	ores						

3. Proposal is an expansion of existing EC. PP has obtained earlier EC dated 22/09/2021 for FSI area of 25,329.84 Sq. Mtrs, Non-FSI area of 24,169.21 Sq. Mtrs and Total Construction Area of 49,499.05 Sq. Mtrs. as per the approval received from local planning authority for total BUA of 49499.05 m2. Now, PP obtained approval for total BUA of 83,032.1 m2. Proposal has been considered by SEIAA in its 242<sup>nd</sup> (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

# Specific Conditions:

## A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions there under as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2. PP to submit architect certificate mentioning there is no change in plot area, layout, building profile, environmental parameters and locations of environmental services which were appraised in 150th SEAC-2 meeting.

- 3. PP to submit affidavit mentioning there is no change in plot area, layout, building profile, environmental parameters and locations of environmental services which were appraised in 150th SEAC-2 meeting.
- 4. PP to submit certified six-monthly compliance report from Regional Office, MOEF&CC, Nagpur.

## B. SEIAA Conditions-

- PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- SEIAA after deliberation decided to grant EC for FSI- 49,197.5 m2, Non-FSI-33,834.6 m2, Total BUA- 83,032.1 m2. (Plan approval- P-N/PVT/0185/20180806/AP/R-6, dated 17/01/2022, CHE/3637/P/N/337 dated 06/12/2021, CHE/5700/P/N/337, dated 09/12/2022, P-N/PVT/0185/20180806/AP/S-2, dated 17/01/2022).

#### **General Conditions:**

## a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
  - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use

of aerators or pressure reducing devices or sensor based control.

- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
  - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
  - XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

## **B)** Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.

- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
  - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
  - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the

respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

## C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.

6. In case of submission of false document and non-compliance of stipulated conditions,

Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.

8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1<sup>st</sup> Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha P (Member Secretar

#### Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai.
- 6. Commissioner, Municipal Corporation of Greater Mumbai.
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.

SignatureNotVerifiedDigitally signed by ManishaPatankar MhaiskaMember SecretaryDate: 5/4/2022 0:36:39 AMFile No. - SIA/MH/MIS/262348/2022Date of Issue EC - 04/05/2022Page 11 of 11